

SDS: B4210-E81EP0 Date Prepared: 2022/9/15

Date Revised:

Product Name: ENEOS X PRIME CVTF

# 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name: ENEOS X PRIME CVTF

### 1.2 Relevant identified uses of substance or mixture and uses advised against

Recommended use: General industrial application
1.3 Details of the supplier of the safety data sheet

Identification of the

**ENEOS** Corporation

supplier:

Address: 1-2, Otemachi 1-Chome, Chiyoda-ku, Tokyo, 100-8162 Japan

Charge section: Lubricants Quality Assurance Group

(TEL:+81 3-6260-2004)

1.4 Emergency telephone number

Emergency telephone +81-3-6260-2004

number: (Contact Available time: From 9:00 to 17:30 GMT +9 hours)

### 2. Hazards identification

Classification according to Regulation (EC) No. 1272/2008 (CLP)

#### 2.1 Classification of the substance or mixture

Hazard category Category

Flammable liquids

Acute toxicity (oral)

Acute toxicity (dermal)

Acute toxicity (dust, mist)

Aspiration hazard

Acute hazards to the aquatic environment

No Classification

No Classification

No Classification

Chronic hazards to the aquatic environment Category 3

#### 2.2 Label elements

Hazard pictograms: Not applicable Signal word: Not applicable

Hazard statement: Harmful to aquatic life with long lasting effects.

Precautionary statements:

Prevention Do not handle until all safety precautions have been read and

understood.

Wear protective gloves/protective clothing/eye protection/face

protection.

Do not allow the eyes to become exposed to the product. Do not

swallow the product.

Avoid release to the environment. Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.



SDS: B4210-E81EP0 Date Prepared: 2022/9/15

Date Revised:

Product Name: ENEOS X PRIME CVTF

Response IF SWALLOWED: Immediately call a POISON CENTER/doctor.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

If the eyes are exposed to the product: Rinse the eyes with plenty of

running water and immediately contact a physician.  $\!\!\!$ 

IF ON SKIN: Wash with plenty of soap and water.

Storage The product must be stored in a cool, well-ventilated location where

it will not be exposed to direct sunlight.

Containers that have been opened must be tightly sealed.

Disposal Dispose of contents/container in accordance with

local/regional/national/international regulations.

If there are any doubts about proper methods of handling the product, contact the point of purchase before proceeding with usage.

2.3 Other hazards

PBT or vPvB : Not applicable

# 3. Composition/information on ingredients

3.1. Substances Not Applicable

#### 3.2. Mixtures

Ingredients and Concentration

Ingredient Name	Concentration wt.%	EC NO.	Classifications
Base Oil(s)	70-80	_	-
Additives	<30	-	-
1,3,4-Thiadiazole, 2,5-bis(tert-nonyldithio)-	0. 1-0. 9	289-493-3	Aquatic Chronic 3 ; H412
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy)derivatives, C10-rich	0. 1-0. 9	800-172-4	Aquatic Chronic 2 ; H411
2-Propanol, 1-(tert-dodecylthio)-	0. 1-0. 9	266-582-5	Aquatic Chronic 1 ; H410
N-Phenyl-1-Naphthylamine	0. 1-0. 9	201-983-0	Aquatic Chronic 1 ; H410

### 4. First aid measures

### 4.1 Description of first aid measures

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

Cover the body with blankets to keep warm and quiet. If you feel

unwell, seek medical advice.

Skin contact: Immediately flush skin with large amounts of water.



SDS: B4210-E81EP0 Date Prepared: 2022/9/15

Date Revised:

Product Name: ENEOS X PRIME CVTF

Wash contaminated clothing before reuse.

If skin irritation occurs: Get medical advice/attention.

Eye contact: Rinse with clean water carefully for several minutes. Remove contact

lenses if present and if removal is easy, then continue rinsing. Rinse for  $15\ \mathrm{minutes}$  at a minimum and seek medical attention.

Ingestion: Do not induce vomiting. Drink [one glass] [two glasses] of water.

Call a physician [or poison control

center] immediately.

4.2 Most important symptoms and effects, both acute and delayed

No information for mixtures.

No information.

4.3 Indication of any immediate medical attention and special treatment needed.

No information for mixtures.

### 5. Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media: Mist of loaded liquid, dry chemicals, carbon dioxide, fire foam, and

dry sand are effective.

Extinguishing media to avoid: Use of straight stream of water can cause a risk of spreading fire.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical:

In some cases of fire, may release irritant gases.

When burnt, may generate carbon monoxide and other toxic gases.

Fire fighting: Spray water to the surrounding facilities for cooling.

Keep unauthorized persons off the site of occurrence of fire and the

surroundings.

Even after extinction, cool containers thoroughly with plenty of

water.

#### 5.3 Advice for fire-fighters

Special protective equipment and precautions for fire fighters:

Wear fire resistant or flame retardant clothing.

Fight fire from windward direction while wearing protective equipment. If contact with skin is expected, wear impervious

protective equipment and gloves.

Use air-breathing apparatus and protective clothing whenever

necessary.

#### 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency measures



SDS: B4210-E81EP0 Date Prepared: 2022/9/15

Date Revised:

Product Name: ENEOS X PRIME CVTF

Wear protective equipment when working.

Remove nearby potential ignition sources immediately.

When mist is generated, use respiratory equipment to prevent inhalation of mist.

Do not touch or walk through spillage.

Pay attention to the site of spillage, which is slippery.

#### 6.2 Environmental precautions

Avoid release to the environment.

Prevent spreading of oil spill with earth and sand, sandbags, or other proper materials and use care not to allow the oil spill to flow to street drains, sewer systems, and rivers.

At sea, install oil spill containment booms to prevent spreading of spills and absorb with absorption mat or other proper materials.

# 6.3 Methods and material for containment and cleaning up

In case of spillage in small quantity, collect spillage by absorbing with earth, sand, sawdust, waste, or other proper materials.

In case of spillage in large quantity, enclose with embankment to prevent spreading of spillage and collect spillage in empty containers to the extent possible.

#### 6.4 Reference to other sections

In case of spillage, immediately inform the organizations concerned of the spillage to prevent possible accidents and spreading of spillage.

Remove nearby potential ignition sources immediately and make fireextinguishing agents available. Remove spillage completely, and ventilate and clean the site and the surroundings.

### 7. Handling and storage

#### 7.1 Precautions for safe handling

Technical measures:

Keep away from any possible contact with sparks, open flames, and high-temperature materials, and do not allow release of vapor without justification.

Use pumps or other proper equipment for taking out from containers. Do not siphon with your mouth using a tube. Do not drink.

When mist is generated, use respiratory equipment to prevent inhalation of mist.

In case of vapor/mist dispersion, install a closed system, local ventilation system, and/or other proper equipment for the sources of vapor/mist generation.

Avoid rough handling of containers such as falling, dropping, exposing to shock, and dragging.



SDS: B4210-E81EP0 Date Prepared: 2022/9/15

Date Revised:

Product Name: ENEOS X PRIME CVTF

Ventilation Maintain adequate ventilation when handling indoors.

requirements:

Precautions for safe Avoid falling, dropping, exposing to shock, or dragging of

handling: containers.

Wash hands and face thoroughly after handling.

Be careful with fire.

Wear protective gloves when opening containers to eliminate a risk of

hand injury.

Contact avoidance: Use care to keep away from any possible contact with halogens, strong

acids, alkalis, and acidifying substances.

Contact with and storage in the same location of halogens, strong

acids, alkali and oxidized substances must be avoided.

Hygiene measures: After handling Wash hands thoroughly.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a well ventilated, cool, dry, dark place, protecting from

direct sunlight and keeping away from any potential ignition sources

and high-temperature materials.

Store tightly stopped after use to prevent possible contamination

Use spill-proof containers that are free of damage/corrosion.

with dust and moisture.

Preferably store locked up in a proper storage area.

Safety adequate container materials:

### 7.3 Specific end use(s)

General industrial application

# 8. Exposure controls/personal protection

### 8.1. Control parameters

Ingredient Name	EU - OEL		ACGIH	
Ingredient Name	STEL	TWA	TLV-STEL	TLV-TWA
Base 0i1(s)	-ppm -mg/m3	-ppm -mg/m3	=	-ppm 5mg/m3(Mineral Oil Mist)
1,3,4-Thiadiazole, 2,5-bis(tert-nonyldithio)-	-ppm	-ppm	-ppm	-ppm
	-mg/m3	-mg/m3	-mg/m3	-mg/m3
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich	-ppm	-ppm	-ppm	-ppm
	-mg/m3	-mg/m3	-mg/m3	-mg/m3
2-Propanol, 1-(tert-dodecylthio)-	-ppm	-ppm	-ppm	-ppm
	-mg/m3	-mg/m3	-mg/m3	-mg/m3
N-Phenyl-1-Naphthylamine	-ppm	-ppm	-ppm	-ppm
	-mg/m3	-mg/m3	-mg/m3	-mg/m3

#### 8.2. Exposure controls



SDS: B4210-E81EP0 Date Prepared: 2022/9/15

Date Revised:

Product Name: ENEOS X PRIME CVTF

Appropriate engineering In case of mist generation, enclose the source of mist generation, or

controls:

install a ventilation system.

Install eye cleaning and body cleaning equipment near the handling

site.

Respiratory protection: Not needed under normal conditions, but wear a gas mask (against

organic gases) whenever required.

Hand protection: In case of prolonged or repeated exposure, wear oil-resistant hand

protection.

Eye/face protection: In case of exposure to splashes, wear ordinary type goggles.

Skin protection: In case of handling over a prolonged period of time or in case of

exposure to oil, wear oil-resistant, long-sleeved work clothing.

Hygiene measures: Take off contaminated clothing and wash thoroughly before reuse.

Wash hands thoroughly after handling.

### 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state: Liquid
Form: Liquid
Color: Light yellow
Odor: Slight odor

Melting point/freezing Pour Point-42.5(℃)

point:

Initial boiling point

and boiling range:

Initial boiling point - End point No data

Flammability (solid, No data

gas):

Explosion Limit (1-7%)

Upper/lower
flammability or
explosive limits:

Flash point: No data

Auto-ignition Estimate 200-410 (°C)

temperature:

Decomposition No data.

temperature:

pH: No data

Kinematic viscosity:  $>20.5 \text{ (mm2/sec)} (40^{\circ}\text{C})$ Solubility: water: Insoluble.

Partition coefficient: No data.

n-octanol/water:

Vapour pressure: No data



SDS: B4210-E81EP0 Date Prepared: 2022/9/15

Date Revised:

Product Name: ENEOS X PRIME CVTF

Density(g/cm3):  $0.8412(15^{\circ}\text{C})$ Vapour density: No data. Particle No data

characteristics:

# 10. Stability and reactivity

10.1 Reactivity

Not Reactive

Stable when stored or preserved in a dark place at room temperature.

10.2 Chemical stability

Stable when stored or preserved in a dark place at room temperature.

10.3 Possibility of hazardous reactions

Keep away from any possible contact with strong oxidizing agents.

10.4 Conditions to avoid

Contact with incompatible hazard substances

Prolonged heating, open flames, and ignition sources

10.5 Incompatible materials

Use care to keep away from any possible contact with halogens, strong acids, alkalis, and acidifying substances.

10.6 Hazardous decomposition products

When burnt, may release carbon monoxide and other gases.

# 11. Toxicological information

#### 11.1 Information on toxicological effects

Product

Acute toxicity (oral): No Classification

For mixtures, hazard category was identified based on the

classification criteria for mixtures.

Acute toxicity (dermal): No Classification

For mixtures, hazard category was identified based on the

classification criteria for mixtures.

Acute toxicity (inhalation): Classification not possible (Gas)

Classification not possible (Vapour)

No Classification (Dust/Mist)

For mixtures, hazard category was identified based on the

classification criteria for mixtures.

Skin corrosion/irritation: Classification not possible



SDS: B4210-E81EP0 Date Prepared: 2022/9/15

Date Revised:

Product Name: ENEOS X PRIME CVTF

For mixtures, hazard category was identified based on the

classification criteria for mixtures.

Serious eye damage/irritation: Classification not possible

For mixtures, hazard category was identified based on the

classification criteria for mixtures.

Respiratory sensitization: Classification not possible

For mixtures, hazard category was identified based on the

classification criteria for mixtures.

Skin sensitization: Classification not possible

For mixtures, hazard category was identified based on the

classification criteria for mixtures.

Mutagenicity: Classification not possible

For mixtures, hazard category was identified based on the

classification criteria for mixtures.

Carcinogenicity: Classification not possible

For mixtures, hazard category was identified based on the

classification criteria for mixtures.

Reproductive toxicity: Classification not possible

For mixtures, hazard category was identified based on the

classification criteria for mixtures.

Target organ effect/Single

exposure:

Classification not possible

For mixtures, hazard category was identified based on the

classification criteria for mixtures.

Target organ effect/Multi

exposure:

Classification not possible

For mixtures, hazard category was identified based on the

classification criteria for mixtures.

Respiratory toxic: No Classification

For mixtures, hazard category was identified based on the

classification criteria for mixtures.

11.2 Other information

Product

No information for mixtures.

Ingredient



SDS: B4210-E81EP0 Date Prepared: 2022/9/15

Date Revised:

Product Name: ENEOS X PRIME CVTF

Base Oil(s)

Acute toxicity (oral): Classification not possible

LC50: > 5000 mg/kg[rat]

Acute toxicity (dermal): Classification not possible

LC50:> 5000 mg/kg[rat]

Acute toxicity (inhalation): Classification not possible (Gas)

Classification not possible (Vapour) Classification not possible (Dust/Mist)

LC50:> 5 mg/L[rat]

Skin corrosion/irritation: Classification not possible

Serious eye damage/irritation: Classification not possible

Practically None

Respiratory sensitization: Classification not possible

Skin sensitization: Classification not possible

None Buehler method [guinea pig]

Mutagenicity: Classification not possible

Ames Test:Negative

Carcinogenicity: No Classification

EU: Category 2: R45 need not apply. (NOTE L is Applicable),

IARC:3

Reproductive toxicity: Classification not possible
Target organ effect/Single Classification not possible

exposure:

Target organ effect/Multi Classification not possible

exposure:

Respiratory toxic: Classification not possible

1, 3, 4-Thiadiazole, 2, 5-bis(tert-nonyldithio)-

Acute toxicity (oral): LD50:> 10000 mg/kg[rat]
Acute toxicity (dermal): LD50:> 2000 mg/kg[rabbit]

Acute toxicity (inhalation): (Vapour)

LC50: > 2.75 mg/L[rat]

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich

No Data

2-Propanol, 1-(tert-dodecylthio)-

Acute toxicity (oral): LD50:> 5000 mg/kg[rat]
Acute toxicity (dermal): LD50:> 2000 mg/kg[rabbit]

N-Phenyl-1-Naphthylamine

Acute toxicity (oral): LD50:  $1625 \sim 2000 \text{ mg/kg[rat]}$ Acute toxicity (dermal): LD50: > 5000 mg/kg[rabbit],

LD50:> 8000 mg/kg[rabbit]

Acute toxicity (inhalation): Effect on animals: not entered

Skin corrosion/irritation: Mild [rabbit]

Effect on animals: not entered

Serious eye damage/irritation: None [rabbit]

Effect on animals: not entered



SDS: B4210-E81EP0 Date Prepared: 2022/9/15

Date Revised:

Product Name: ENEOS X PRIME CVTF

Respiratory sensitization: Effect on person: not entered Skin sensitization: Effect on animals: not entered

Mutagenicity: No Classification

Carcinogenicity: Classification not possible

Reproductive toxicity: No Data

Respiratory toxic: Effect on person: not entered

# 12. Ecological information

Product

12.1 Toxicity

Ecotoxicity

Acute toxicity: No Classification

Fish: For mixtures, hazard category was identified based on the

classification criteria for mixtures.

Daphnia: No information.

Algae: For mixtures, hazard category was identified based on the

classification criteria for mixtures.

Chronic toxicity: Category 3

Fish: For mixtures, hazard category was identified based on the

classification criteria for mixtures.

Daphnia: No information.

Algae: For mixtures, hazard category was identified based on the

classification criteria for mixtures.

12.2 Persistence and degradability

Persistence and degradability: No information available on mixtures

12.3 Bioaccumulative potential

Bioaccumulative potential: No information for mixtures.

12.4. Mobility in soil

Mobility in soil: No information for mixtures. Hazardous to the ozone layer: Classification not possible

12.5. Results of PBT and vPvB assessment

Not applicable

12.6. Other adverse effects

Other impact: No information for mixtures.

Ingredient
Base Oil(s)

Ecotoxicity



SDS: B4210-E81EP0 Date Prepared: 2022/9/15

Date Revised:

Product Name: ENEOS X PRIME CVTF

Acute toxicity: Classification not possible

Fish: 96hLC50:> 5000 mg/L[Oncorhynchus mykiss]
Daphnia: 48hEC50:> 1000 mg/L[Daphnia magna]

Chronic toxicity: Classification not possible Hazardous to the ozone layer: Classification not possible

1, 3, 4-Thiadiazole, 2, 5-bis(tert-nonyldithio)-

Ecotoxicity

Acute toxicity: No Data
Chronic toxicity: No Data

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich

Ecotoxicity

Acute toxicity: No Data
Chronic toxicity: No Data

2-Propanol, 1-(tert-dodecylthio)-

Ecotoxicity

Acute toxicity: No Data
Chronic toxicity: No Data

N-Phenyl-1-Naphthylamine

Ecotoxicity

Acute toxicity: No Data

Fish: 96hrLC50: 0.7 mg/L[Oryzias latipes]

Daphnia: No Data

Algae: 72hrEC50: 0.034 mg/L[Selenastrum capricornutum]

Chronic toxicity: No Data
Fish: No Data
Daphnia: No Data

Algae: 72hrNOEC: 0.0036 mg/L[Selenastrum capricornutum]

Persistence and degradability: Not rapidly biodegradable

Bioaccumulative potential: Moderate bioconcentration

#### 13. Disposal considerations

# 13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

Every customer/user of the product should dispose of industrial waste on its own responsibility, otherwise it must rely on a company authorized by prefectural governor for treating industrial waste or a local public body involved in the disposal of industrial waste for proper disposal.

Before disposal of used container, remove contents completely.

### 13.2 Other information

No additional information



SDS: B4210-E81EP0 Date Prepared: 2022/9/15

Date Revised:

Product Name: ENEOS X PRIME CVTF

# 14. Transport information

14.1 UN Number:

IATA UN number: Not regulated IMDG UN number: Not regulated

14.2 UN proper shipping name:

Proper shipping name: Not regulated

IATA

**IMDG** 

Proper shipping name: Not regulated

14.3 Transport hazard class(es):

IATA UN classification: Not regulated IMDG UN classification: Not regulated

14.4 Packing group:

IATA Packing group: Not regulated
IMDG Packing group: Not regulated
Domestic restriction: No information.

14.5 Special precautions for user:

Transport containers without causing any significant friction or

shaking.

# 15. Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance EU regulations

Australia(AICS):

Canada(DSL):

All components are listed or exempted.

China(IECSC):

All components are listed or exempted.

All components are listed or exempted.

EU(REACH): In the case where one or more components are not listed or, even if listed, in

the case of importing to the country or area concerned, an application or

notification is required.

Korea(K-REACH): In the case where one or more components are not listed or, even if listed, in

the case of importing to the country or area concerned, an application or

notification is required.

New Zealand(NZloC):
One or more components are not listed.
Philippines(PICCS):
All components are listed or exempted.
Taiwan(TCSI):
All components are listed or exempted.
USA(TSCA):
All components are listed or exempted.

15.2 Chemical safety assessment

Not conducted

# 16. Other information



SDS: B4210-E81EP0 Date Prepared: 2022/9/15

Date Revised:

Product Name: ENEOS X PRIME CVTF

References No information.

Disclaimer We at ENEOS Corporation have prepared the copyrighted Safety Data Sheet to

provide reference information on the hazardous chemical product of interest

for our customers/users to ensure secure and safe handling.

We would like every customer/user of the product to refer to the information and understand the necessity of taking appropriate measures for the actual handling conditions on their own responsibilities for optimum practical

application of the product of interest.

Consequently, the Safety Data Sheet is not intended to guarantee the safety of

the product referenced to herein.